

DIGITAL WIRELESS FORK VIEW CAMERA

0606/2018

Waterproof
IP69K approved

Viewing Angle
45 degrees



Key Specifications

Image Device	1/3" CMOS PC3089
TV System	PAL / NTSC
Effective Pixels	756×504 pixels
Sensing Area	4.80mm×3.73mm
Scanning System	2:1 Interlace
Sync. System	Internal
Resolution	500 TV Lines
Horizontal Sync. Frequency	15.625 KHz / 15.734 KHz
Vertical Sync. Frequency	50 Hz / 60 Hz
Minimum Illumination	0.1 Lux (day), 0 Lux/F1.2 (with IR)
Video Output	1.0 vp-p, 75 Ohm
Gamma Consumption	0.45
AGC	Auto
S/N Ratio	Better than 46.5 dB
White Balance	Auto
Electronic Shutter	1/60 (NTSC) / 1/50 (PAL) ~ 1/100,000 Seconds
BLC	Auto
Operation Frequency	2400-2483.5MHZ
Line of Sight Range	50m
Receiving Sensitivity	-89dBm
Video Codec	MPEG4
Frame Rate	PAL: 25f/s NTSC: 30f/s
Transmission Power	20dBm
Spread SPECTRUM	FHSS
Delay	120ms
RF Bit Rate	4Mbps
Operating Temperature	-20°C~70°C , RH 95%
Storage Temperature	-30°C~80°C, RH 95%
Minimum Illumination	0.1Lux
Power Supply	DC10~32V
Lens	f= 6.0mm F = 2.0
Lens Angle	45°
LED lights	3

Accessories

1- Manual, 1- Double-sided Tape

Video Reference

<https://vimeo.com/241384246>